

**HEAD OFFICE**

4<sup>th</sup> Floor, LAPF House Makole Road

P.O Box 2857, Dodoma, Tanzania

Tel: +255-26 2329002-3; Fax: +255-26 2329005

E-mail: [info@ewura.go.tz](mailto:info@ewura.go.tz)

Website: <http://www.ewura.go.tz>

## PUBLIC NOTICE

### A CALL FOR STAKEHOLDERS' VIEWS ON THE TARIFF APPLICATION FROM MOSHI WATER SUPPLY AND SANITATION AUTHORITY (MOSHI WSSA) FOR FINANCIAL YEAR 2018/19 – 2020/21

#### Tariff Application No. TR-W-18-022-2018/2019

On 10<sup>th</sup> December 2018, EWURA received complete Tariff Application from Moshi Water Supply and Sanitation Authority requesting for a multi - year tariff adjustment for the period of 2018/19 – 2020/21. Table1- 5 show details on the proposed tariffs and charges.

**Table 1: Current and Proposed Water Tariff (TZS/m<sup>3</sup>)**

Customer Category	Consumption Band (m <sup>3</sup> )	Current Tariff	Proposed Tariff					
			% Change	2018/19	% Change	2019/20	% Change	2020/21
Domestic	<10	695	39%	969	12%	1,090	3%	1,124
	>10<30	755	39%	1,053	12%	1,184	3%	1,221
	>30	825	40%	1,151	12%	1,293	3%	1,334
Institutional	<10	695	39%	969	12%	1,090	3%	1,124
	>10<30	755	39%	1,053	12%	1,184	3%	1,221
	>30	825	40%	1,151	12%	1,293	3%	1,334
Commercial	<10	825	40%	1,151	12%	1,293	3%	1,334
	>10<30	880	40%	1,228	12%	1,380	3%	1,423
	>30	930	39%	1,297	12%	1,458	3%	1,504
Industrial	<10	930	39%	1,297	12%	1,458	3%	1,504
	>10<30	980	39%	1,367	12%	1,536	3%	1,585
	>30	1,005	40%	1,402	12%	1,575	3%	1,625
Kiosk	<10	685	39%	955	12%	1,074	3%	1,108
	>10<30	685	39%	955	12%	1,074	3%	1,108
	>30	685	39%	955	12%	1,074	3%	1,108
Car Wash	<10	930	39%	1,297	12%	1,458	3%	1,504
	>10<30	980	39%	1,367	12%	1,536	3%	1,585
	>30	1,005	40%	1,402	12%	1,575	3%	1,625

**Table 2: Current and Proposed Sewerage Tariff (TZS/m<sup>3</sup>)**

Customer Category	Current Tariff		Proposed Tariff				
	2017/18	% Change	2018/19	% Change	2019/20	% Change	2020/21
Domestic	370	15%	426	15%	489	15%	563
Institutional	380	10%	418	15%	481	15%	553
Commercial	569	15%	654	15%	753	15%	865
Industrial	676	20%	811	15%	933	15%	1,073
Car Wash	648	15%	745	15%	857	15%	986

**Table 3: Current and Proposed New Connection Fees (TZS/ Connection)**

Customer Category	Current Fees		Proposed Fees		
	2017/18		2018/19	2019/20	2020/21
All Customer Categories	20% of Recoverable Expenditure as Stipulated in Section 24 of Water Supply Regulations, 2013.		20% of Recoverable Expenditure as Stipulated in Section 24 of Water Supply Regulations, 2013.		

**Table 4: Current and Proposed Water Reconnection Fees (TZS/Reconnection)**

Customer Category	Current Fees	Proposed Fees					
	2017/18	% Change	2018/19	% Change	2019/20	% Change	2020/21
Domestic	20,000	0%	20,000	5%	21,000	5%	22,000
Institutional	25,000	0%	25,000	4%	26,000	4%	27,000
Commercial	25,000	0%	25,000	4%	26,000	4%	27,000
Industrial	25,000	0%	25,000	4%	26,000	4%	27,000

**Table 5: Current and Proposed Cesspit Emptier Charges (TZS/Reconnection)**

Customer Category	Current Charge	Proposed Charges					
	2017/18	% Change	2018/19	% Change	2019/20	% Change	2020/21
Domestic	17,000	0%	17,000	6%	18,000	11%	20,000

According to Moshi WSSA, the major reasons for tariff review is the need to increase water production to cater for increased population in service area, expand water network coverage into newly extended area, extend sewerage network, replace dilapidated sewerage network, protect water sources (especially in town area) which have been encroached by surrounding communities, increase sustainability in service provision, increase number of staff and covering the effect of general rise in input prices in the market on items required for water production, sewerage disposal, water distribution and maintenance of fixed assets.

Pursuant to Section 19(2) (b) of the EWURA Act, Cap 414, there shall be a public inquiry meeting on **Thursday, 14<sup>th</sup> February 2019 at Umoja Lutheran Hostel in Moshi Town from 10:00hrs.** The main objective of the meeting is to collect views of stakeholders including Government Consultative Council (GCC), Consumer Consultative Council (CCC), Moshi customers and the general public on the reasonableness of the proposed tariff application.

Those who wish to submit written comments on the reasonableness of the proposed tariffs are invited to do so by writing to the Director General using the above mentioned address at any time by **20<sup>th</sup> February 2019**. More details of the application can be obtained from **EWURA NORTHERN ZONE OFFICES, 2<sup>nd</sup> FLOOR, PPF PLAZA, NEXT TO KIBO PALACE HOTEL, CORRIDOR AREA or MOSHI WSSA OFFICES IN MOSHI TOWN.**

**Issued by:**  
**Acting Director General**  
**The Energy and Water Utilities Regulatory Authority**

**30<sup>th</sup> January 2019**