

HEAD OFFICE

4th Floor, LAPF House Makole Road
P.O Box 2857, Dodoma, Tanzania

Tel: +255-26 2329002-3; Fax: +255-26 2329005

E-mail: info@ewura.go.tz

Website: <http://www.ewura.go.tz>

PUBLIC NOTICE

A CALL FOR STAKEHOLDERS' VIEWS ON THE TARIFF APPLICATION FROM DODOMA URBAN WATER SUPPLY AND SANITATION AUTHORITY (“Dodoma WSSA”) FOR YEAR 2018/19 – 2019/20

Tariff Application No. WTMYYT/2019/0052

On 10th January 2019 the Energy and Water Utilities Regulatory Authority (EWURA) received a Tariff Application from Dodoma urban Water Supply and Sanitation Authority (Dodoma WSSA) requesting for a multiyear tariff adjustment for water services. Tables 1 to 10 below present detailed schedules of the current and proposed tariffs and charges.

Table 1: Current and Proposed Water Tariff (TZS/m3)

Customer Category	Consumption Band (m3)	Current Tariff 2017/18	Proposed Tariffs			
			% Change	2018/19	% Change	2019/20
Domestic	0--5	1,045	13%	1,181	0%	1,181
	6--10	1,110	13%	1,250	0%	1,250
	11>-30	1,190	7%	1,270	0%	1,270
	>30	1,230	7%	1,320	0%	1,320
Institution	0--5	1,365	8%	1,477	0%	1,477
	6--50	1,400	8%	1,515	0%	1,515
	51--150	1,440	8%	1,558	0%	1,558
	>150	1,465	12%	1,642	0%	1,642
Commercial	0--5	1,365	8%	1,477	0%	1,477
	6--50	1,400	8%	1,515	0%	1,515
	51--150	1,440	8%	1,558	0%	1,558
	>150	1,465	14%	1,663	0%	1,663
Kiosks	1	1,035	18%	1,220	0%	1,220
Bulk customers	1	3,519	-49%	1,800	0%	1,800

Table 2: Current and Proposed New Water Connection Fees (TZS/ Connection)

Customer Category	Current Fees	Proposed Fees	
	2017/18	2018/19	2019/20
Domestic	20% of material costs	20% of material costs	20% of material costs
Institution			
Commercial			

Table 3: Current and Proposed Water Reconnection Fees (TZS/Reconnection)

Customer Category	Current Fees	Proposed Fees			
	2017/18	%Change	2018/19	%Change	2019/20
Domestic	20,000	0%	20,000	0%	20,000
Institution	50,000	0%	50,000	0%	50,000
Commercial	50,000	0%	50,000	0%	50,000
Kiosks	20,000	0%	20,000	0%	20,000

Table 4: Current and Proposed Sewer Bowser Charges (TZS/6m³)

Customer Category	Current Charge	Proposed Charges			
	2017/18	%Change	2018/19	%Change	2019/20
Domestic	40,000	50%	60000	0%	60000
Non-Domestic	50,000	50%	75000	0%	75000

Table 5: Current and Proposed Cesspit Emptier Charges (TZS/Trip)

Customer Category	Current Charge	Proposed Charges			
	2017/18	%Change	2018/19	%Change	2019/20
Truck	3,000	400%	15000	0%	15000

Table 6: Current and Proposed Sewer Charge for customers with no water service (TZS/Month)

Customer Category	Current Charge	Proposed Charges in Two years	
	2017/18	2018/19	2019/20
Domestic	NA	40% of average water consumption based on water supply and waste water disposal design manual by ministry of water	
Non-Domestic	NA		

Table 7: Current and Proposed Sewer Charge for customers with water disconnection for more than 1 month (TZS/Month)

Customer Category	Current Charge	Proposed Charges in Two years	
	2017/18	2018/19	2019/20
Domestic	NA	Average of sewer charges for past three months	
Institutional	NA		
Commercial	NA		

Table 8: Current and Proposed Service Charge (TZS/Month)

Customer Category	Current Charge	Proposed Charges in Two years		
	2017/18	2018/19	%Change	2019/20
Domestic	3,000	0	-100%	0
Institutional	5,000	0	-100%	0
Commercial	5,000	0	-100%	0
Worship houses	3,000	0	-100%	0

Table 9: Current and Proposed Sewer Charge (TZS/Month)

Customer Category	Current Charge	Proposed Charges in Two years	
	2017/18	2018/19	2019/20
Domestic	40% of water charges	40% of water charges	
Institutional			
Commercial			

Table 10: Current and Proposed Sewer New Connection Fees (TZS/Connection)

Customer Category	Current Charge	Proposed Charges in Two years	
	2017/18	2018/19	2019/20
Domestic	41,000	20% of all sewer connection material costs	
Institutional	71,000		
Commercial	71,000		

According to Dodoma WSSA, the proposed increase will enable it to meet the increased operational and maintenance costs due to removal of service charge to customers; and expanding its operations.

Pursuant to sub-section 19(2) (b) of the EWURA Act, Cap 414, there shall be a public inquiry meeting on **Thursday, 14th March 2019 at Jamhuri Stadium, Dodoma City** from **10:00hrs** to collect views of stakeholders including Government Consultative Council (GCC), Consumer Consultative Council (CCC) and the general public on the reasonableness of the proposed tariff application.

Those who wish to submit written comments on the reasonableness of the proposed tariff and charges are invited to do so by writing to the Director General using the above mentioned address by **21st March 2019**. More details of the application can be obtained from EWURA Headquarters, **4TH FLOOR, LAPF HOUSE MAKOLE ROAD, DODOMA** or from Dodoma WSSA Office in Dodoma City.

Issued by:
Acting Director General
Energy and Water Utilities Regulatory Authority
26th February 2019

