

**HEAD OFFICE**

4<sup>th</sup> Floor, PSSSF House Makole Road

P.O Box 2857, Dodoma, Tanzania

Tel: +255-26 2329002-3; Fax: +255-26 2329005

E-mail: [info@ewura.go.tz](mailto:info@ewura.go.tz)

Website: <http://www.ewura.go.tz>

## PUBLIC NOTICE

### A CALL FOR STAKEHOLDERS' VIEWS ON THE TARIFF APPLICATION FROM NAMTUMBO WATER SUPPLY AND SANITATION AUTHORITY (NAMTUMBO WSSA) FOR YEARS 2019/20 – 2021/22

#### Tariff Application No. TR-W-18-044-2018/2019

On 10<sup>th</sup> June 2019, EWURA received Tariff Application from Namtumbo Water Supply and Sanitation Authority (Namtumbo WSSA) requesting for a multi - year tariff adjustment (2019/20 – 2021/22) for water supply services. Tables 1 to 4 below show current and proposed tariffs and fees.

**Table 1: Current and Proposed Metered Water Tariff (TZS/m<sup>3</sup>)**

Customer Category	Current Tariff	Proposed Tariff					
	2018/19	Change	2019/20	Change	2020/21	Change	2021/22
Domestic	540	73%	932	38%	1,285	26%	1,617
Institution	1,000	73%	1,726	38%	2,380	26%	2,994
Commercial	1,025	73%	1,770	38%	2,439	26%	3,069
Industrial	-	-	1,796	38%	2,476	27%	3,145
Bulk Supply	-	-	1,107	115%	2,380	25%	2,964
Kiosk	1,000	73%	1,726	-12%	1,526	26%	1,919

**Table 2: Current and Proposed Unmetered Water Tariff (TZS/Month)**

Customer Category	Current Tariff	Proposed Tariff					
	2018/19	Change	2019/20	Change	2020/21	Change	2021/22
Domestic	7,000	71%	12,000	0%	12,000	0%	12,000
Institution	24,500	2%	25,000	0%	25,000	0%	25,000
Commercial	24,500	2%	25,000	0%	25,000	0%	25,000
Industrial	-	-	25,000	0%	25,000	0%	25,000
Bulk Supply	-	-	25,000	0%	25,000	0%	25,000
Kiosk	24,500	2%	25,000	0%	25,000	0%	25,000

**Table 3: Current and Proposed New Connection Fees (TZS/ Connection)**

Customer category	Current Fee	Proposed Fee		
	2018/19	2019/20	2020/21	2021/22
Domestic	22,500	20% of Recoverable Expenditure		
Institution	51,500			
Commercial	51,500			
Industrial	-			

**Table 4: Current and Proposed Water Reconnection Fees (TZS/Reconnection)**

Customer category	Current Fee	Proposed Fees					
	2018/19	Change	2019/20	Change	2020/21	Change	2021/22
Domestic	4,000	0%	4,000	0%	4,000	0%	4,000
Institution	50,000	0%	50,000	0%	50,000	0%	50,000
Commercial	4,000	400%	20,000	0%	20,000	0%	20,000
Industrial	-	-	50,000	0%	50,000	0%	50,000

According to Namtumbo WSSA, the main justification for tariff review application is to generate revenue to enable the utility to meet operations and maintenance costs, extension of the distribution network, procurement of water meters, construction of storage infrastructure and construction of a treatment plant for her old project.

Pursuant to Section 19(2) (b) of the EWURA Act, Cap 414, there shall be a public inquiry meeting on **Friday, 16<sup>th</sup> August 2019** at **New Faraja Villa** in Namtumbo Town from **10:00hrs**. The main objective of the meeting is to collect views of stakeholders including Government Consultative Council (GCC), Consumer Consultative Council (CCC), Namtumbo WSSA's customers and the general public on the reasonableness of the proposed tariff application.

Those who wish to submit written comments on the reasonableness of the proposed tariffs are invited to do so by writing to the Director General using the above-mentioned address at any time by **23<sup>rd</sup> August 2019**. More details of the application can be obtained from **EWURA HIGHLANDS ZONE OFFICES, 6<sup>TH</sup> FLOOR, NHIF TOWER, KARUME AVENUE, MBEYA** or from **NAMTUMBO WSSA OFFICES, in NAMTUMBO**.

**Issued by:**  
**Acting Director General**  
**The Energy and Water Utilities Regulatory Authority**

**22<sup>nd</sup> July 2019**